

MIDDLESEX COUNTY, MASSACHUSETTS					
HYDRIC SOILS LIST					
October, 2002 - Natural Resources Conservation Service					
Field Sym.	State Sym.	Map Unit Name	hydric	hydric criteria code	
W	1	Water	unranked	-	
42	2A	Pootatuck fine sandy loam, 0 to 3 % slopes	n	-	
		Inclusions: Occum very fine sandy loam	n	-	
		Rippowam fine sandy loam	y	2B3	
43	4A	Rippowam fine sandy loam, 0 to 3 % slopes	y	2B3	
		Inclusions: Saco	y	2B3	
		Limerick	y	2B3	
		Pootatuck	n	-	
44,49	36A	Saco mucky silt loam, 0 to 2 % slopes	y	2B3	
		Inclusions: Freetown, ponded	y	3,1	
		Swansea	y	1	
		Limerick	y	2B3	
40,41	6A	Scarboro mucky fine sandy loam, 0 to 3 % slopes	y	3,2B2	
		Inclusions: Birdsall	y	3,2B3	
		Raypol	y	2B3	
		Swansea	y	1	
93	8A	Limerick silt loam, 0 to 3 % slopes	y	2B3	
		Inclusions: Saco	y	2B3	
		Windsor	n	-	
60A,601	30A	Raynham silt loam, 0 to 5 % slopes	y	2B3	
		Inclusions: Birdsall	y	3,2B3	
		Raypol	y	2B3	
		Scarboro	y	2B3	
39A,139,391	32A	Wareham loamy fine sand, 0 to 5 % slopes	y	2B2	
		Inclusions: Scarboro	y	2B2,3	
		Deerfield	n	-	
602	33A	Raypol silt loam, 0 to 5 % slopes	y	2B3	
		Inclusions: Raynham	y	2B3	
		Scarboro	y	2B3	
		Birdsall	y	2B3,3	
		Tisbury	n	-	

Field Sym.	State Sym.	Map Unit Name	hydric	hydric criteria code	
611,611A	44A	Birdsall mucky silt loam, 0 to 3 % slopes	y	3,2B3	
		Inclusions: Raypol	y	2B3	
		Scarboro	y	2B2,3	
		Swansea	y	1	
45	51A	Swansea muck, 0 to 3 % slopes	y	1	
		Inclusions: Freetown	y	1	
		Saco	y	2B3	
		Scarboro	y	2B2,3	
		Birdsall	y	3,2B3	
46,69	52A	Freetown muck, 0 to 3 % slopes	y	1	
		Inclusions: Freetown, ponded	y	1,3	
		Scarboro	y	2B2,3	
		Swansea	y	1	
99	53A	Freetown muck, ponded, 0 to 2 % slopes	y	1,3	
		Inclusions: Freetown	y	1	
		Swansea	y	1	
		Scarboro	y	2B2,3	
29A,B,31A,32,32A,B,311,321,321A,B	71B	Ridgebury fine sandy loam, extremely stony, 3 to 8 % slopes	y	2B3	
		Inclusions: Scituate fine sandy loam	n	-	
		Whitman sandy loam	y	2B3,3	
		Woodbridge fine sandy loam	n	-	
33A,34,34A,B	73A	Whitman fine sandy loam, extremely stony, 0 to 5 % slopes	y	2B3,3	
		Inclusions: Ridgebury fine sandy loam	y	2B3	
		Woodbridge fine sandy loam	n	-	
		Birdsall	y	2B3,3	
89A	97A	Suncook loamy sand, 0 to 3 % slopes	n	-	
		Inclusions: Occum	n	-	
		Windsor	n	-	
92	98A	Winooski very fine sandy loam, 0 to 3 % slopes	n	-	
		Inclusions: Limerick	y	2B3	
		Pootatuck	n	-	
91A,B,411,411A,B	99A	Occum very fine sandy loam, 0 to 3 % slopes	n	-	
		Inclusions: Suncook	n	-	
		Charlton	n	-	
7B,351B	103B	Charlton-Hollis-Rock outcrop complex, 3 to 8 % slopes	n	-	
		Charlton	n	-	
		Hollis	n	-	
		Rock outcrop	unranked	-	

Field Sym.	State Sym.	Map Unit Name	hydric	hydric criteria code	
7C,351C	103C	Charlton-Hollis-Rock outcrop complex, 8 to 15 % slopes	n	-	
		Charlton	n	-	
		Hollis	n	-	
		Rock outcrop	unranked	-	
		Inclusions: Canton	n	-	
		Montauk	n	-	
7D,351D	103D	Charlton-Hollis-Rock outcrop complex, 15 to 25 % slopes	n	-	
		Charlton	n	-	
		Hollis	n	-	
		Rock outcrop	unranked	-	
		Inclusions: Canton	n	-	
		Montauk	n	-	
8B,C	104C	Hollis-Rock outcrop-Charlton complex, 3 to 15 % slopes			
		Hollis	n	-	
		Rock outcrop	unranked	-	
		Charlton	n	-	
		Inclusions: Canton	n	-	
		Montauk	n	-	
		Scituate	n	-	
		Ridgebury	y	2B3	
8D	104D	Hollis-Rock outcrop-Charlton complex, 15 to 25 % slopes			
		Hollis	n	-	
		Rock outcrop	unranked	-	
		Charlton	n	-	
		Inclusions: Canton	n	-	
		Montauk	n	-	
		Ridgebury	y	2B3	
9	105C	Rock outcrop-Hollis complex, 3 to 35 % slopes			
		Rock outcrop	unranked	-	
		Hollis	n	-	
		Inclusions: Whitman	y	3,2B3	
		Swansea	y	1	
17B,C	106C	Narragansett-Hollis-Rock outcrop complex, 3 to 15 % slopes			
		Narragansett	n	-	
		Rock outcrop	unranked	-	
		Hollis	n	-	
		Inclusions: Canton	n	-	
		Charlton	n	-	
		Scituate	n	-	

Field Sym.	State Sym.	Map Unit Name	hydric	hydric criteria code	
17D	106D	Narragansett-Hollis-Rock outcrop complex, 15 to 25 % slopes			
		Narragansett	n	-	
		Hollis	n	-	
		Rock outcrop	unranked	-	
		Inclusions: Charlton	n	-	
		Canton	n	-	
59A,591A,64,581A	223A	Scio very fine sandy loam, 0 to 3 % slopes	n	-	
		Inclusions: Haven	n	-	
		Sudbury	n	-	
		Tisbury	n	-	
59B,591B,65B,581B	223B	Scio very fine sandy loam, 3 to 8 % slopes	n	-	
		Inclusions: Haven	n	-	
		Sudbury	n	-	
		Tisbury	n	-	
63A,79A	251A	Haven silt loam, 0 to 3 % slopes	n	-	
		Inclusions: Merrimac	n	-	
		Scio	n	-	
63B,C,79B	251B	Haven silt loam, 3 to 8 % slopes	n	-	
		Inclusions: Merrimac	n	-	
		Scio	n	-	
35A	253A	Hinckley loamy sand, 0 to 3 % slopes	n	-	
		Inclusions: Merrimac	n	-	
		Windsor	n	-	
		Quonset	n	-	
		Sudbury	n	-	
35B,335B	253B	Hinckley loamy sand, 3 to 8 % slopes	n	-	
		Inclusions: Merrimac	n	-	
		Windsor	n	-	
		Carver	n	-	
		Quonset	n	-	
		Deerfield	n	-	
35C,335C	253C	Hinckley loamy sand, 8 to 15 % slopes	n	-	
		Inclusions: Windsor	n	-	
		Merrimac	n	-	
		Canton	n	-	
		Carver	n	-	
		Quonset	n	-	
		Sudbury	n	-	

Field Sym.	State Sym.	Map Unit Name	hydric	hydric criteria code	
35D,37D,67D,75D,335D	253D	Hinckley loamy sand, 15 to 25 % slopes	n	-	
		Inclusions: Windsor	n	-	
		Merrimac	n	-	
		Carver	n	-	
		Quonset	n	-	
35E,67E	253E	Hinckley loamy sand, 25 to 35 % slopes	n	-	
		Inclusions: Windsor	n	-	
		Merrimac	n	-	
		Carver	n	-	
		Quonset	n	-	
37A,68A	254A	Merrimac fine sandy loam, 0 to 3 % slopes	n	-	
		Inclusions: Sudbury	n	-	
		Hinckley	n	-	
		Windsor	n	-	
37B,68B	254B	Merrimac fine sandy loam, 3 to 8 % slopes	n	-	
		Inclusions: Sudbury	n	-	
		Windsor	n	-	
		Hinckley	n	-	
37C,68C	254C	Merrimac fine sandy loam, 8 to 15 % slopes	n	-	
		Inclusions: Windsor	n	-	
		Hinckley	n	-	
67A	255A	Windsor loamy sand, 0 to 3 % slopes	n	-	
		Inclusions: Deerfield	n	-	
		Merrimac	n	-	
		Hinckley	n	-	
		Carver	n	-	
67B	255B	Windsor loamy sand, 3 to 8 % slopes	n	-	
		Inclusions: Deerfield	n	-	
		Merrimac	n	-	
		Hinckley	n	-	
		Carver	n	-	
67C	255C	Windsor loamy sand, 8 to 15 % slopes	n	-	
		Inclusions: Hinckley	n	-	
		Carver	n	-	
138A	256A	Deerfield loamy sand, 0 to 3 % slopes	n	-	
		Inclusions: Sudbury	n	-	
		Wareham	y	2B2	
138B	256B	Deerfield loamy sand, 3 to 8 % slopes	n	-	
		Inclusions: Sudbury	n	-	
		Wareham	y	2B2	

Field Sym.	State Sym.	Map Unit Name	hydric	hydric criteria code	
75A	259A	Carver loamy coarse sand, 0 to 3 % slopes	n	-	
		Inclusions: Windsor	n	-	
		Hinckley	n	-	
		Deerfield	n	-	
		Quonset	n	-	
75B	259B	Carver loamy coarse sand, 3 to 8 % slopes	n	-	
		Inclusions: Windsor	n	-	
		Hinckley	n	-	
		Deerfield	n	-	
		Quonset	n	-	
75C	259C	Carver loamy coarse sand, 8 to 15 % slopes	n	-	
		Inclusions: Hinckley	n	-	
		Quonset	n	-	
38A,B,70A,B	260B	Sudbury fine sandy loam, 2 to 8 % slopes	n	-	
		Inclusions: Merrimac fine sandy loam	n	-	
100A	261A	Tisbury silt loam, 0 to 3 % slopes	n	-	
		Inclusions: Raypol	y	2B3	
		Scio	n	-	
		Scarboro	y	2B3	
100B	261B	Tisbury silt loam, 3 to 8 % slopes	n	-	
		Inclusions: Raypol	y	2B3	
		Scio	n	-	
		Scarboro	y	2B3	
151A,B,152B	262B	Quonset sandy loam, 3 to 8 % slopes	n	-	
		Inclusions: Canton	n	-	
		Sudbury	n	-	
151C,152C	262C	Quonset sandy loam, 8 to 15 % slopes	n	-	
		Inclusions: Hinckley	n	-	
		Canton	n	-	
		Sudbury	n	-	
151D	262D	Quonset sandy loam, 15 to 25 % slopes	n	-	
		Inclusions: Hinckley	n	-	
		Canton	n	-	
		Sudbury	n	-	
151E	262E	Quonset sandy loam, 25 to 35 % slopes	n	-	
		Inclusions: Canton	n	-	
		Hinckley	n	-	
222B	300B	Montauk fine sandy loam, 3 to 8 % slopes	n	-	
		Inclusions: Canton	n	-	
		Paxton	n	-	
		Scituate	n	-	

Field Sym.	State Sym.	Map Unit Name	hydric	hydric criteria code	
222C	300C	Montauk fine sandy loam, 8 to 15 % slopes	n	-	
		Inclusions: Canton	n	-	
		Paxton	n	-	
		Scituate	n	-	
222D	300D	Montauk fine sandy loam, 15 to 25% slopes	n	-	
		Paxton	n	-	
		Charlton	n	-	
223B,224B	302B	Montauk sandy loam, extremely stony, 3 to 8 % slopes	n	-	
		Inclusions: Scituate	n	-	
		Paxton	n	-	
223C,224C	302C	Montauk sandy loam, extremely stony, 8 to 15 % slopes	n	-	
		Inclusions: Paxton	n	-	
		Woodbridge	n	-	
223D,E,224D	302D	Montauk sandy loam, extremely stony, 15 to 25 % slopes	n	-	
		Inclusions: Paxton	n	-	
		Charlton	n	-	
122B	305B	Paxton fine sandy loam, 3 to 8 % slopes	n	-	
		Inclusions: Charlton	n	-	
		Montauk	n	-	
		Woodbridge	n	-	
		Ridgebury	y	2B3	
122C	305C	Paxton fine sandy loam, 8 to 15 % slopes	n	-	
		Inclusions: Charlton	n	-	
		Montauk	n	-	
		Woodbridge	n	-	
122D	305D	Paxton fine sandy loam, 15 to 25% slopes	n	-	
		Inclusions: Charlton	n	-	
		Montauk	n	-	
122E	305E	Paxton fine sandy loam, 25 to 35% slopes	n	-	
		Inclusions: Charlton	n	-	
		Montauk	n	-	
123B,124B	307B	Paxton fine sandy loam, extremely stony, 3 to 8 % slopes	n	-	
		Inclusions: Charlton	n	-	
		Montauk	n	-	
		Woodbridge	n	-	
		Ridgebury	y	2B3	
123C,124C	307C	Paxton fine sandy loam, extremely stony, 8 to 15 % slopes	n	-	
		Inclusions: Montauk	n	-	
		Charlton	n	-	
123D,124D	307D	Paxton fine sandy loam, extremely stony, 15 to 25 % slopes	n	-	
		Inclusions: Montauk	n	-	
		Charlton	n	-	

Field Sym.	State Sym.	Map Unit Name	hydric	hydric criteria code	
123E,124E	307E	Paxton fine sandy loam, extremely stony, 25 to 35 % slopes	n	-	
		Inclusions: Montauk	n	-	
		Charlton	n	-	
81A	310A	Woodbridge fine sandy loam, 0 to 3 % slopes	n	-	
		Inclusions: Paxton	n	-	
		Ridgebury	y	2B3	
		Scituate	n	-	
81B	310B	Woodbridge fine sandy loam, 3 to 8 % slopes	n	-	
		Inclusions: Paxton	n	-	
		Scituate	n	-	
		Ridgebury	y	2B3	
81C	310C	Woodbridge fine sandy loam, 8 to 15 % slopes	n	-	
		Inclusions: Paxton	n	-	
		Scituate	n	-	
		Ridgebury	y	2B3	
82A,B	311B	Woodbridge fine sandy loam, very stony, 3 to 8 % slopes	n	-	
		Inclusions: Paxton	n	-	
		Scituate	n	-	
		Ridgebury	y	2B3	
82C	311C	Woodbridge fine sandy loam, very stony, 8 to 15 % slopes	n	-	
		Inclusions: Paxton	n	-	
		Scituate	n	-	
		Ridgebury	y	2B3	
83A,B	312B	Woodbridge fine sandy loam, extremely stony, 3 to 8 % slopes	n	-	
		Inclusions: Paxton	n	-	
		Scituate	n	-	
		Ridgebury	y	2B3	
83C	312C	Woodbridge fine sandy loam, extremely stony, 8 to 15 % slopes	n	-	
		Inclusions: Paxton	n	-	
		Scituate	n	-	
		Ridgebury	y	2B3	
27A,B,71A,B	315B	Scituate fine sandy loam, 3 to 8 % slopes	n	-	
		Inclusions: Montauk	n	-	
		Ridgebury	y	2B3	
		Woodbridge	n	-	
27C	315C	Scituate fine sandy loam, 8 to 15 % slopes	n	-	
		Inclusions: Montauk	n	-	
		Woodbridge	n	-	
		Ridgebury	y	2B3	
28A,B,72A,B	317B	Scituate fine sandy loam, extremely stony, 3 to 8 % slopes	n	-	
		Inclusions: Montauk	n	-	
		Ridgebury	y	2B3	
		Woodbridge	n	-	

Field Sym.	State Sym.	Map Unit Name	hydric	hydric criteria code	
28C,72C	317C	Scituate fine sandy loam, extremely stony, 8 to 15 % slopes	n	-	
		Inclusions: Montauk	n	-	
		Woodbridge	n	-	
		Ridgebury	y	2B3	
181B,C,182B,C,322B,C,D,323B,C,D	320B	Birchwood fine sandy loam, 3 to 8 % slopes	n	-	
		Inclusions: Sudbury	n	-	
191B,C,D,E,201B,C,D	325C	Newport channery fine sandy loam, 8 to 20 % slopes	n	-	
		Inclusions: Paxton	n	-	
		Pittstown	n	-	
		Udorthents	unranked	-	
		Urban land	unranked	-	
221B,231A,B	330B	Bernardston very fine sandy loam, 3 to 8 % slopes	n	-	
		Inclusions: Charlton	n	-	
		Paxton	n	-	
		Pittstown	n	-	
221C,231C	330C	Bernardston very fine sandy loam, 8 to 15 % slopes	n	-	
		Inclusions: Charlton	n	-	
		Paxton	n	-	
		Pittstown	n	-	
221D,231D,291D	330D	Bernardston very fine sandy loam, 15 to 25 % slopes	n	-	
		Inclusions: Charlton	n	-	
		Paxton	n	-	
221E,231E	330E	Bernardston very fine sandy loam, 25 to 40 % slopes	n	-	
		Inclusions: Charlton	n	-	
		Paxton	n	-	
241A,B,C	335B	Rainbow silt loam, 3 to 8 % slopes	n	-	
		Inclusions: Broadbrook	n	-	
		Paxton	n	-	
		Woodbridge	n	-	
242B	336B	Rainbow silt loam, very stony, 3 to 8 % slopes	n	-	
		Inclusions: Broadbrook	n	-	
		Paxton	n	-	
		Woodbridge	n	-	
252B	340B	Broadbrook very fine sandy loam, 3 to 8 % slopes	n	-	
		Inclusions: Narragansett	n	-	
		Paxton	n	-	
		Rainbow	n	-	
252C,D	340C	Broadbrook very fine sandy loam, 8 to 20 % slopes	n	-	
		Inclusions: Narragansett	n	-	
		Paxton	n	-	
		Rainbow	n	-	
253B	341B	Broadbrook very fine sandy loam, very stony, 3 to 8 % slopes	n	-	
		Inclusions: Narragansett	n	-	
		Paxton	n	-	
		Rainbow	n	-	

Field Sym.	State Sym.	Map Unit Name	hydric	hydric criteria code	
253C	341C	Broadbrook very fine sandy loam, very stony, 8 to 15 % slopes	n	-	
		Inclusions: Paxton	n	-	
		Rainbow	n	-	
253D	341D	Broadbrook very fine sandy loam, very stony, 15 to 25 % slopes	n	-	
		Inclusions: Narragansett	n	-	
		Paxton	n	-	
281A,291A	345A	Pittstown silt loam, 0 to 3 % slopes	n	-	
		Inclusions: Bernardston	n	-	
		Ridgebury	y	2B3	
		Woodbridge	n	-	
281B,C,291B,C	345B	Pittstown silt loam, 3 to 8 % slopes	n	-	
		Inclusions: Bernardston	n	-	
		Ridgebury	y	2B3	
		Woodbridge	n	-	
19B	405B	Charlton fine sandy loam, 3 to 8 % slopes	n	-	
		Inclusions: Canton	n	-	
		Paxton	n	-	
		Narragansett	n	-	
		Pittstown	n	-	
		Ridgebury	y	2B3	
		Whitman	y	2B3,3	
19C,D	405C	Charlton fine sandy loam, 8 to 15 % slopes	n	-	
		Inclusions: Canton	n	-	
		Ridgebury	y	2B3	
20B,21B	407B	Charlton fine sandy loam, extremely stony, 3 to 8 % slopes	n	-	
		Inclusions: Canton	n	-	
		Ridgebury	y	2B3	
		Newport	n	-	
20C,21C	407C	Charlton fine sandy loam, extremely stony, 8 to 15 % slopes	n	-	
		Inclusions: Canton	n	-	
		Newport	n	-	
		Ridgebury	y	2B3	
20D,21D	407D	Charlton fine sandy loam, extremely stony, 15 to 25 % slopes	n	-	
		Inclusions: Canton	n	-	
		Newport	n	-	
		Ridgebury	y	2B3	
119B	415B	Narragansett silt loam, 3 to 8 % slopes	n	-	
		Inclusions: Canton	n	-	
		Haven	n	-	
119C	415C	Narragansett silt loam, 8 to 15 % slopes	n	-	
		Inclusions: Canton	n	-	
		Haven	n	-	
		Windsor	n	-	
119D	415D	Narragansett silt loam, 15 to 25 % slopes	n	-	
		Inclusions: Canton	n	-	
		Windsor	n	-	

Field Sym.	State Sym.	Map Unit Name	hydric	hydric criteria code	
120B,121B	416B	Narragansett silt loam, very stony, 3 to 8 % slopes	n	-	
		Inclusions: Haven	n	-	
		Canton	n	-	
		Scituate	n	-	
120C,121C	416C	Narragansett silt loam, very stony, 8 to 15 % slopes	n	-	
		Inclusions: Charlton	n	-	
		Canton	n	-	
		Scituate	n	-	
120D,121D	416D	Narragansett silt loam, very stony, 15 to 25 % slopes	n	-	
		Inclusions: Canton	n	-	
		Charlton	n	-	
113B	420B	Canton fine sandy loam, 3 to 8 % slopes	n	-	
		Inclusions: Charlton	n	-	
		Montauk	n	-	
		Scituate	n	-	
113C	420C	Canton fine sandy loam, 8 to 15 % slopes	n	-	
		Inclusions: Charlton	n	-	
		Montauk	n	-	
		Scituate	n	-	
113D	420D	Canton fine sandy loam, 15 to 25% slopes	n	-	
		Inclusions: Charlton	n	-	
		Hinckley	n	-	
114B	422B	Canton fine sandy loam, extremely stony, 3 to 8 % slopes	n	-	
		Inclusions: Charlton	n	-	
		Montauk	n	-	
		Scituate	n	-	
114C	422C	Canton fine sandy loam, extremely stony, 8 to 15 % slopes	n	-	
		Inclusions: Charlton	n	-	
		Montauk	n	-	
		Scituate	n	-	
114D,E	422D	Canton fine sandy loam, extremely stony, 15 to 25 % slopes	n	-	
		Inclusions: Charlton	n	-	
		Hinckley	n	-	
115B	424B	Canton fine sandy loam, extremely bouldery, 3 to 8 % slopes	n	-	
		Inclusions: Charlton	n	-	
		Montauk	n	-	
		Scituate	n	-	
115C	424C	Canton fine sandy loam, extremely bouldery, 8 to 15 % slopes	n	-	
		Inclusions: Charlton	n	-	
		Scituate	n	-	
115D,E	424D	Canton fine sandy loam, extremely bouldery, 15 to 25 % slopes	n	-	
		Inclusions: Charlton	n	-	
		Hinckley	n	-	
GP	600	Pits, gravelly	unranked	-	
Pq	601	Pits, quarry	unranked	-	

Field Sym.	State Sym.	Map Unit Name	hydric	hydric criteria code	
260	602	Urban land, 0 to 15 % slopes	unranked	-	
		Inclusions: Udorthents	unranked	-	
		Rock outcrops	unranked	-	
260X	603	Urban land, wet substratum, 0 to 25 % slopes	unranked	-	
262,262X	621B	Scio-urban land complex, 0 to 8 % slopes			
		Scio	n	-	
		Urban land	unranked	-	
		Inclusions: Haven	n	-	
		Sudbury	n	-	
		Tisbury	n	-	
267	622C	Paxton-Urban land complex, 3 to 15 % slopes			
		Paxton	n	-	
		Urban land	unranked	-	
		Inclusions: Charlton	n	-	
		Montauk	n	-	
		Woodbridge	n	-	
263	623C	Woodbridge-Urban land complex, 3 to 15 % slopes			
		Woodbridge	n	-	
		Urban land	unranked	-	
		Inclusions: Paxton	n	-	
		Scituate	n	-	
		Ridgebury	y	2B3	
268	624B	Haven-Urban land complex, 0 to 8 % slopes			
		Haven	n	-	
		Urban land	unranked	-	
		Inclusions: Tisbury	n	-	
		Hinckley	n	-	
		Merrimac	n	-	
261	626B	Merrimac-Urban land complex, 0 to 8 % slopes			
		Merrimac	n	-	
		Urban land	unranked	-	
		Inclusions: Sudbury	n	-	
		Hinckley	n	-	
		Windsor	n	-	
266	627C	Newport-Urban land complex, 3 to 15 % slopes			
		Newport	n	-	
		Urban land	unranked	-	
264	629C	Canton-Charlton-Urban land complex, 3 to 15 % slopes			
		Canton	n	-	
		Charlton	n	-	
		Urban land	unranked	-	
		Inclusions: Montauk	n	-	
		Scituate	n	-	
		Udorthents	unranked	-	

Field Sym.	State Sym.	Map Unit Name	hydric	hydric criteria code	
265	631C	Charlton-Urban land-Hollis complex, rocky, 3 to 15 % slopes			
		Charlton	n	-	
		Urban land	unranked	-	
		Hollis	n	-	
		Inclusions: Canton	n	-	
		Montauk	n	-	
		Udorthents	unranked	-	
		Rock outcrops	unranked	-	
		Scituate	n	-	
LF	652	Udorthents, refuse substratum, 0 to 8 % slopes	unranked	-	
50,5	653	Udorthents, sandy, 0 to 15 % slopes	unranked	-	
		Inclusions: Scarboro	y	3,2B2	
		Urban land	unranked	-	
55	654	Udorthents, loamy, 0 to 15 % slopes	unranked	-	
		Inclusions: Urban land	unranked	-	
555	655B	Udorthents, wet substratum, 0 to 25 % slopes	unranked	-	
		Inclusions: Rock outcrops	unranked	-	
259	656C	Udorthents-Urban land complex, 0 to 25 % slopes			
		Udorthents	unranked	-	
		Urban land	unranked	-	
		Inclusions: Canton	n	-	
		Merrimac	n	-	
		Paxton	n	-	

HYDRIC SOILS CRITERIA CODES AND DEFINITIONS

1. All Histosols, except Folists, or
2. Soils in Aquic suborder, Aquic subgroup, Albolls suborder, Salorthids great group, Pell great group of Vertisols, Pachic subgroup, or Cumulic subgroups that are:
 - a: somewhat poorly drained and have a frequently-occurring water table less than 0.5 feet from the surface for a significant period (usually 14 consecutive days or more) during the growing season, or
 - b: poorly drained or very poorly drained and have either:
 - (1) a frequently-occurring water table less than 0.5 feet from the surface for a significant period (usually 14 consecutive days or more) during the growing season if textures are coarse sand, sand, or fine sand in all layers within 20 inches, or for other soils,
 - (2) a frequently-occurring water table less than 1.0 feet from the surface for a significant period (usually 15 consecutive days or more) during the growing season if permeability is equal to or greater than 6.0 in/hr in all layers within 20 inches, or
 - (3) a frequently-occurring water table less than 1.5 feet from the surface for a significant period (usually 14 consecutive days or more) during the growing season if permeability is less than 6.0 in/hr in any layers within 20 inches, or
3. Soils that are frequently ponded for long or very long duration during the growing season, or
4. Soils that are frequently flooded for long or very long duration during the growing season.